SEFAR

SEFAR PME

The best performing screen printing mesh

SEFAR PME has been specially developed and engineered by Sefar for the needs of high-end industrial screen printing.



DOWNLOADS

1							-			-		-	-				-	-			-	-			-		1
	S	E	F/	٩F	R	Ρ	N	IE	L	_e	a	fle	et	(P	DF	=	2	2	3	k	b)				
							-															-			-		-
	S	E	F/	٩F	R	Ρ	N	IE	ŀ	١	tic	cle	Э	lis	st	(F	PE)F	=	64	4	5	kl	D))		
							-															-			-		-

SEFAR PME Product data sheet (PDF 344 kb)

Mesh features

SEFAR PME is the best performing range of screen printing mesh for printers who need to expand the capabilities of their screen printing process. The mesh is made from an innovative, high modulus, high tensile strength yarn developed and manufactured by Sefar. This screen printing mesh solution offers stencil makers and printers maximum precision in extremely tight tolerances.

SEFAR PME enables the efficient and reliable production of stencils that allow for printing of the most demanding, high volume products – meeting the highest quality demands.

- High modulus polyester yarn with increased tensile strength
- Balanced and low mesh elongation
- Minimal loss of tension
- Adhesion optimized surface treatment
- Resolution optimized mesh color
- Uncompromised paste and ink release
- Good antistatic properties
- Knot and fault indication

Sefar mesh selector app for smartphones

Sefar SA de CV

Carretera Tepotzotlán la Aurora Km .1 Nave 3 Módulo "A" S/Número Col: Axotlán Cuautitlán Izcalli, Edo de México C.P. 54719 Phone +52 55 5899 6100 Fax +52 55 5899 6129 info.mexico@sefar.com

S E F A R

This app supports the screen printing user in selecting the optimal screen printing mesh depending on the application.



Your Benefits

Screen/stencil maker benefit

- Higher peak tension achievable
- Risk reduction of mesh tearing
- Rapid achievement of stable tension
- Stable mesh geometry during stretching
- Standardized stretching process
- Reduced relaxation time
- Increased productivity
- Homogeneous emulsion application
- Easy, safe capillary film transfer
- High resolution with finest detail

adhesion

Accurate transfer of the printing motif

Improved dimensional accuracy
Risk reduction of stencils tearing on
press
Lowest image distortion
Dimensionally stable artwork
reproduction
Risk reduction of moiré
Increased printing speed
Screen reutilization increases
Outstanding stencil adhesion
expands printable range of fine
details
Increased stencil life time

Printer benefit

Sefar SA de CV

Carretera Tepotzotlán la Aurora Km .1 Nave 3 Módulo "A" S/Número Col: Axotlán Cuautitlán Izcalli, Edo de México C.P. 54719 Phone +52 55 5899 6100 Fax +52 55 5899 6129

info.mexico@sefar.com

Go to content

SEFAR

- UV spectrum matched absorption range
- Adhesive passes easily through the mesh
- Homogenous adhesive application
- Reduced susceptibility of dust
- Reduction of retouching
- Optimization of mesh utilization
- Cost reduction

- Accurate image transfer during printing
- Faithful and less-loss image reproduction
- Maintanance of narrowest ink
 - deposit
 - tolerances
- Reduced risk of pinholes
- Error-free printing
- Reduced downtime of the printing

press

Waste and cost reduction

Applications

- Touchscreens
- Keypads / membrane

switches

- Printed circuit boards
- Tachometers
- Flat-panel displays
- Solar cells
- Combination stencils

SEFAR PME has proven unbeatable, especially when going to the limits of what is possible in screen printing, particularly in the industrial production of printed electronic components and functional coatings as well as in all other applications that require highest screen printing performance.

Sefar SA de CV

Carretera Tepotzotlán la Aurora Km .1 Nave 3 Módulo "A" S/Número Col: Axotlán Cuautitlán Izcalli, Edo de México C.P. 54719 Phone +52 55 5899 6100 Fax +52 55 5899 6129

info.mexico@sefar.com



High-end graphic

applications



Whether edge masking or protective coatings using SEFAR PME (© Danielson Europe BV)



In the fast lane with the highest efficiency and quality printed with SEFAR PME



Clear and durable signs and inscriptions printed with SEFAR PME (© Danielson Europe BV)

Locations





Sefar SA de CV

Carretera Tepotzotlán la Aurora Km .1 Nave 3 Módulo "A" S/Número Col: Axotlán Cuautitlán Izcalli, Edo de México C.P. 54719 Phone: +52 55 5899 6100 Fax: +52 55 5899 6129

E-Mail

Sefar SA de CV

Serigrafía Antonio I. Villarreal N° 2323 Norte Col. Moderna Monterrey, Nuevo León C.P. 64530 Phone: +52 81 8345 8164 Fax:

E-Mail

Sefar SA de CV

Carretera Tepotzotlán la Aurora Km .1 Nave 3 Módulo "A" S/Número Col: Axotlán Cuautitlán Izcalli, Edo de México C.P. 54719 Phone +52 55 5899 6100 Fax +52 55 5899 6129

info.mexico@sefar.com