


# Pressure Sensing Fabrics

Combine reliable pressure measurements with design flexibility and user comfort. Our force-sensing resistor (FSR) or piezo-resistive fabrics are especially suited for pressure sensing applications that require a durable, comfortable and breathable textile.



## Product features

### No compromise on sensitivity, design and comfort

The demand for data-driven insights is becoming crucial in many industries for improving process efficiency, fostering innovation, ensuring safety, and promoting wellbeing. Textile-based pressure sensors are playing an increasingly important role in this trend.

- Healthcare and therapy: enhancing patient treatment outcomes
- Production environments: ensuring safe collaboration between employees and robots
- Sports and fitness: monitoring performance and preventing injuries
- Wellbeing: improving sleep quality in the bedroom.

## DOWNLOADS

Large scale textile pressure sensor (PDF 546 kb)



### Sefar SA de CV

Carretera Tepetzotlán la Aurora Km .1  
Nave 3 Módulo "A" S/Número  
Col: Axotlán  
Cuautitlán Izcalli, Edo de México  
C.P. 54719

Phone +52 55 5899 6100  
Fax +52 55 5899 6129

[info.mexico@sefar.com](mailto:info.mexico@sefar.com)

[Ir al contenido](#)



While conventional technologies often constrain product engineers and designers, forcing trade-offs between form, function, and comfort, Sefar's force sensitive resistor fabrics open the door to unprecedented design and application freedom.

### Well suited for textile applications

The electrical resistance of the piezo-resistive fabric varies with the intensity of the applied pressure which can be measured by connecting electrodes to the fabric.

### Customize your textile pressure sensor

Simply integrate the Sefar FSR-fabric as the functional layer into your pressure sensor and add the electrodes and electronic components depending on your use case.

Combine the fabric with any type of electrodes including heat printed, embroidered, sewn or stitched, laminated, sandwiched and many more.

#### Sefar SA de CV

Carretera Tepetzotlán la Aurora Km .1  
Nave 3 Módulo "A" S/Número  
Col: Axotlán  
Cuautitlán Izcalli, Edo de México  
C.P. 54719

Phone +52 55 5899 6100  
Fax +52 55 5899 6129

[info.mexico@sefar.com](mailto:info.mexico@sefar.com)

[Ir al contenido](#)



1. Sefar force-sensing resistor fabric (FSR) as central building block.
2. Electrodes are applied to generate an FSR matrix.
3. Electrodes are contacted to connect them to the electronics.
4. Electronics are connected to complete the full package sensor system

### Build your pressure sensor with Sefar PreSense FSR fabric

Conventional pressure sensing technologies often don't live up to the standards of equipment manufacturers and their customers:

- Maintaining measurement precision over time is a challenge
- Current solutions lack comfort and breathability
- Size and customization limitations restrict design freedom

**Break free from these constraints with SEFAR PresSense force-sensing**

#### Sefar SA de CV

Carretera Tepetzotlán la Aurora Km .1  
 Nave 3 Módulo "A" S/Número  
 Col: Axotlán  
 Cuautitlán Izcalli, Edo de México  
 C.P. 54719

Phone +52 55 5899 6100  
 Fax +52 55 5899 6129

[info.mexico@sefar.com](mailto:info.mexico@sefar.com)

[Ir al contenido](#)

resistor fabric and combine unmatched quality, comfort, and versatility in your pressure sensing solution.

## Locations



### Sefar SA de CV

Carretera Tepetzotlán la Aurora Km .1  
Nave 3 Módulo "A" S/Número  
Col: Axotlán  
Cuautitlán Izcalli, Edo de México  
C.P. 54719  
Teléfono [Teléfono]  
Fax +52 55 5899 6129

■ E-Mail



### Sefar SA de CV

Serigrafía  
Antonio I. Villarreal N° 2323 Norte  
Col. Moderna  
Monterrey, Nuevo León  
C.P. 64530  
Teléfono [Teléfono]  
Fax

■ E-Mail

### Sefar SA de CV

Carretera Tepetzotlán la Aurora Km .1  
Nave 3 Módulo "A" S/Número  
Col: Axotlán  
Cuautitlán Izcalli, Edo de México  
C.P. 54719

Phone +52 55 5899 6100  
Fax +52 55 5899 6129

[info.mexico@sefar.com](mailto:info.mexico@sefar.com)

[Ir al contenido](#)